US PATENT & TRADEMARK OFFICE
3 0402 00110 4308

554

SCIENTIFIC LIBRARY

UNITED STATES PATENT AND

TRADEMARK OFFICE

W. B. MOSES & SONS

MANUFACTURERS OF

METALLIC BEDSTEADS

WASHINGTON, D.C.

SEE THE OPERATION?
IT'S DONE IN HALF MINUTE
WITH GREATEST EASE, WITH-
OUT THE USE OF A HAMMER.

Beds

ILLVSTRATED CATALOGVE
No. 10

Easy Detachable Metallic BEDSTEADS

◇ ◇ ◇ MANUFACTURED BY ◇ ◇ ◇
BERNSTEIN MFG.
COMPANY

Philadelphia, Pa.
U. S. A.

This Catalog - Is I. M. + Design Div. in Nov. 1908.

TS
887
B4

INTRODUCTION

WE take pleasure in handing to the Trade this, our tenth Catalogue of Metallic Bedsteads. In the compilation of this book, we have endeavored to give exact reproductions to convey an intelligent idea of the style and trimmings. We illustrate upwards of 145 styles of enameled and brass bedsteads, all original and artistic designs, including many new patterns for the coming Season.

"BERNSTEIN QUALITY" is a well known fact in the Furniture world and we scarcely deem it necessary to add that it will continue to be the paramount factor with us.

All of our enameled beds, from the cheapest to the best, are finished in three coats of a high grade clear white enamel, each coat separately baked on. All brass trimmings, also brass beds, are lacquered with the finest quality gold lacquer obtainable and skillfully applied.

We will continue our Grade "A" fabric on iron beds and guarantee it five years against sagging or breaking. The "Standard" Grade will be furnished with brass beds and the "Extra Fine" on iron cribs, Nos. 4243 to 4247 inclusive, also No. 4269, and on all brass cribs. Grade "B" fabric on all iron frame, (not illustrated but a substantial article,) will be used on balance of iron cribs.

BERNSTEIN MFG. CO.

IN ORDERING BY WIRE, USE CODE.



GRADE "A" FABRIC

Used on Bernstein's easy detachable beds.

A very substantial wire mattress. Warranted not to sag.

The cut illustrates the exact size of mesh.

"STANDARD" FABRIC

Used on Bernstein's easy detachable beds.

Warranted 5 years against sagging or breaking.

The cut illustrates the exact size of mesh.





EXTRA FINE FABRIC.

Used on Bernstein's easy detachable beds.

The cut illustrates the exact size of mesh.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

SEE THE OPERATION?

It's done in half minute with the greatest ease, without the aid of a hammer.

Just tight enough to stand firm, yet easily detached.

That's the beauty of it!





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

Stands perfectly erect and firm.

No shaky joints.

It is in only three parts.

THE BERNSTEIN ATTACHMENT

Patented July 10, 1894.
April 12, 1898.

Two hooks stamped from cold rolled steel and chill casted to each post.

Corner plate which joins the side and end rail of spring together.

That is all there is to it, hence its popularity.





THE BERNSTEIN ATTACHMENT

Patented July 10, 1894.
April 12, 1898.

So simple.

So neat.

So easy to adjust.

No binding points.

This is the attachment that makes the only practical three-piece bedstead manufactured.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

NATIONAL SPRING

Can be furnished for any of our beds in place of woven wire spring.

Made all sizes





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

SINGLE BORDER BOX SPRING

Can be furnished for any of our beds in the place of woven wire spring.

Made all sizes.

The Bernstein Hook as applied to posts of brass beds.

Chill casting covered with brass collar, giving a perfect finish.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4200

Height of head, 38 inches.
Height of foot, 28 inches.

Pillars, 1⅛ inches.
Filling, ½ and ⅜ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	aback.
3 feet 6	adama.
4 feet	adone.
4 feet 6	ambly.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4201

MADE IN ONE SIZE ONLY.

Height of head, 41 inches.
Height of foot, 28 inches.

Pillars, 1⅛ inches.
Filling, ½ and ⅜ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	ample.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4204

MADE IN TWO SIZES ONLY.

Height of head, 38 inches.
Height of foot, 28 inches.

Pillars, 1⅛ inches.

Filling, ⅜ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
2 feet 6	asfee.
3 feet	ason.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4206

MADE IN ONE SIZE ONLY.

Height of head, 44 inches.
Height of foot, 32 inches.

Pillars, 1⅛ inches.
Filling, ½ inch.
Brass vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	awake.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4295

Height of head, 50 inches.
Height of foot, 34 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass caps.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	doby.
3 feet 6	dane.
4 feet	dryot.
4 feet 6	daat.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4208

Height of head, 53 inches.
Height of foot, 37 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Vases, 1¾ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	bale.
3 feet 6	bant.
4 feet	bead.
4 feet 6	beamo.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4209

Height of head, 60 inches.
Height of foot, 40 inches.

Pillars, 1⅛ inches.
Filling, ½ and ⅜ inch.
Vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	bedane.
3 feet 6	began.
4 feet	beto.
4 feet 6	byro.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4250

MADE IN TWO SIZES ONLY.

Height of head, 54 inches.
Height of foot, 41 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass vases, 1¾ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	calod.
4 feet 6	chont.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4210

MADE IN TWO SIZES ONLY.

Height of head, 54 inches.
Height of foot, 41 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass vases, 1¾ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	caban.
4 feet 6	cadia.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4256

MADE IN TWO SIZES ONLY.

Height of head, 57 inches.
Height of foot, 44 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass vases, 1¾ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	cone.
4 feet 6	conra.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4258

MADE IN TWO SIZES ONLY.

Height of head, 57 inches.
Height of foot, 44 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass vases, 1¾ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	crade.
4 feet 6	crut.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4279.

MADE IN TWO SIZES ONLY.

Height of head, 58 inches.
Height of foot, 46 inches.

Pillars, 1⅛ inches.

Filling, ⅜ and $\frac{5}{16}$ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	croby.
4 feet 6	cryal.





BERNSTEIN'S EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4296.

Height of head, 61 inches.
Height of foot, 39 inches.

Pillars, 1⅛ inches.

Filling, ⅜ and $\frac{5}{16}$ inch.

Brass bars, ½ inch.

Brass caps.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	dyog.
3 feet 6	dalot.
4 feet	dryco.
4 feet 6	drogy.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4211

Height of head, 64 inches.
Height of foot, 42 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass bars, ⅝ inch.
Vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	dando.
3 feet 6	danby.
4 feet	dant.
4 feet 6	danot.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4214

Height of head, 64 inches.
Height of foot, 42 inches.

Pillars, 1⅛ inches.

Filling, ⅜ and $\frac{5}{16}$ inch.

Brass bars, ⅝ inch

Brass vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	detan.
3 feet 6	dona.
4 feet	domy.
4 feet 6	dosit.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4215. SWELL FOOT

All of our swell foot beds have two extra vertical rods.

Notice small space between pillars and first rod.

Height of head, 64 inches.
Height of foot, 42 inches.

Pillars, 1⅛ inches.

Filling, $\frac{7}{16}$ and $\frac{5}{16}$ inch.

Brass bars, ⅝ inch

Brass vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	dotac.
3 feet 6	doting.
4 feet	drab.
4 feet 6	drady.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4216

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1⅜ inches.
Filling, ½ and ⅜ inch.
Brass bars, ⅝ inch.
Vases, 2¼ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	dramd.
3 feet 6	dray.
4 feet	drode.
4 feet 6	drot.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4219. SWELL FOOT

All of our swell foot beds have two extra vertical rods.

Notice small space between pillars and first rod.

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1⅜ inches.
Filling, ½ and ⅜ inch.
Brass bars, ⅝ inch.
Vases, 2¼ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	dunky.
3 feet 6	durand.
4 feet	dypod.
4 feet 6	dyset.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4220

Height of head, 64 inches.
Height of foot, 42 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass bars, ⅝ inch.
Vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	eagot.
3 feet 6	easy.
4 feet	ebort.
4 feet 6	ecan.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4221

Height of head, 64 inches.
Height of foot, 42 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass bars, ⅝ inch.
Vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	ecomy.
3 feet 6	echert.
4 feet	echod.
4 feet 6	edonp.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4259

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1½ inches.
Filling, ¾ and ⅝ inch.
Brass bars, ¾ inch.
Vases, 2½ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	efont.
3 feet 6	egard.
4 feet	egoby.
4 feet 6	eiten.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4260. SWELL FOOT

All of our swell foot beds have two extra vertical rods.

Notice small space between pillars and first rod.

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1½ inches.
Filling, ¾ and ⅝ inch.
Brass bars, ⅝ inch.
Vases, 2½ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	elk.
3 feet 6	elmo.
4 feet	elong.
4 feet 6	else.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4261

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1½ inches.
Filling, ¾ and ⅝ inch.
Brass bars, ¾ inch.
Vases, 2½ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	embro.
3 feet 6	emony.
4 feet	emorty.
4 feet 6	enamt.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No 4262. SWELL FOOT

All of our swell foot beds have two extra vertical rods.

Notice small space between pillars and first rod.

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1½ inches.
Filling, ¾ and ⅝ inch.
Brass bars, ¾ inch.
Vases, 2½ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	etary.
3 feet 6	ether.
4 feet	eye.
4 feet 6	ezra.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4226

MADE IN THREE SIZES ONLY.

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1⅜ inches.
Filling, $\frac{7}{16}$ and ⅜ inch.
Brass spindles, 3½ inches.
Brass bars, ⅝ inch.
Vases, 2¼ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	feid.
4 feet	feill.
4 feet 6	feino.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4227

MADE IN THREE SIZES ONLY.

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1⅜ inches.
Filling, ½ and ⅜ inch.
Brass spindles, 3½ inches.
Brass bars, ⅝ inch.
Vases, 2¼ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	felt.
4 feet	femy.
4 feet 6	fete.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4230

MADE IN ONE SIZE ONLY.

Height of head, 63 inches.
Height of foot, 44 inches.

Pillars, 1⅛ inches.
Filling, $\frac{7}{16}$ and $\frac{5}{16}$ inch.
Brass bars, ⅝ inch.
Vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	focute.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4231

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1⅜ inches.
Filling, ½ and ⅜ inch.
Brass bars, ⅝ inch.
Brass scrolls, ⅜ inch.
Vases, 2¼ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	foil.
3 feet 6	fran.
4 feet	fume.
4 feet 6	fuss.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4237

MADE IN ONE SIZE ONLY.

Height of head, 62 inches.
Height of foot, 46 inches.

Pillars, 1⅛ inches.
Filling, ½ and ⅜ inch.
Brass bars, ⅝ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	harp.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4271

MADE IN ONE SIZE ONLY.

Height of head, 65 inches.
Height of foot, 48 inches.

Pillars, 1⅛ inches.
Filling, $\frac{7}{16}$, ⅜ and $\frac{5}{16}$ inch.
Brass bars, ⅝ inch.
Vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	jaco.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4270

MADE IN ONE SIZE ONLY.

Height of head, 65 inches.
Height of foot, 48 inches.

Pillars, 1⅛ inches.
Filling, $\frac{7}{16}$, $\frac{3}{8}$ and $\frac{5}{16}$ inch.
Brass bars, ⅝ inch.
Brass vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	jents.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4275

Height of head, 58 inches.
Height of foot, 42 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	zyot.
3 feet 6	zunat.
4 feet	zrobt.
4 feet 6	zebra.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4285

MADE IN THREE SIZES.

Height of head, 67 inches.
Height of foot, 47 inches.

Pillars, 1⅛ inches.
Filling, $\frac{7}{16}$ and ⅜ inch.
Brass scrolls, ⅝ inch.

SIZE.	CODE.
~~3 feet 6~~	~~hyog.~~
~~4 feet~~	~~hocg.~~
4 feet 6	hubb.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4297

MADE IN THREE SIZES.

Height of head, 67 inches.
Height of foot, 47 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass scrolls, ⅜ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
~~3 feet 6~~	~~ibig~~
~~4 feet~~	~~iogy~~
4 feet 6	icat.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4286

MADE IN THREE SIZES.

Height of head, 67 inches.
Height of foot, 47 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{7}{16}$ inch.
Brass work, ⅝ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
~~3 feet 6~~	~~ibac.~~
~~4 feet~~	~~igoc.~~
4 feet 6	ibyo.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4300

MADE IN THREE SIZES.

Height of head, 67 inches.
Height of foot, 47 inches.

Pillars, 1⅛ inches.
Top scroll, ⅞ inch.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass scrolls, ⅜ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
~~3 feet 6~~	~~avod~~
~~4 feet~~	~~agot~~
4 feet 6	atol





BERNSTEIN'S EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4274

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.
Brass bars, ¾ inch.
Vases, 2¼ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	zorat.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4239

MADE IN ONE SIZE ONLY.

Height of head, 65 inches.
Height of foot, 45 inches.

Pillars, 1⅛ inches.
Filling, ½ and ⅜ inch.
Brass bars, ⅝ inch.
Brass scrolls, ⅜ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	hesto.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4299

MADE IN THREE SIZES.

Height of head, 67 inches.
Height of foot, 47 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
~~3 feet 6~~	~~byon.~~
~~4 feet~~	~~bang.~~
4 feet 6	bote.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4298

MADE IN THREE SIZES.

Height of head, 67 inches.
Height of foot, 47 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.
Brass scrolls, ⅜ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	faby
4 feet	fror
4 feet 6	fyon



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4266

MADE IN TWO SIZES ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.
Brass bars, ¾ and ⅝ inch.
Brass vases, 2¼ inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	honey.
4 feet 6	honk.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4251

MADE IN TWO SIZES ONLY.

Height of head, 62 inches.
Height of foot, 48 inches.

Pillars, 1⅛ inches.
Filling, $\frac{7}{16}$ and $\frac{5}{16}$ inch.
Brass bars, ⅝ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
~~3 feet 6~~	~~coney~~
4 feet 6	chatty.





BERNSTEIN'S EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4284

MADE IN TWO SIZES ONLY.

Height of head, 67 inches.
Height of foot, 47 inches.

Pillars, 1⅛ inches.
Filling, $\frac{7}{16}$ and $\frac{5}{16}$ inch.
Brass scrolls, ⅝ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	gnot.
4 feet 6	gyol.

BERNSTEIN'S
EASY DETACHABLE BED

Patented Ju'y 10, 1894.
April 12, 1898.

No. 4264



MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 50 inches.

Pillars, 1⅜ inches.
Filling, 1⅛ and ⅝ inches.
Brass scrolls, ¾ inch.

SIZE.	CODE.
4 feet 6	hoist.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4301

MADE IN ONE SIZE ONLY.

Height of head, 67 inches.
Height of foot, 47 inches.

Pillars, 1⅛ inches.
Filling, ⅜ and $\frac{5}{16}$ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	bogg.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4263

MADE IN TWO SIZES ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.
Brass scrolls, ⅝ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet 6	hast.
4 feet 6	hodt.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4276

Height of head, 65 inches.
Height of foot, 48 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.
Brass bars, ⅝ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	zyogt.
3 feet 6	zroll.
4 feet	zopb.
4 feet 6	zando.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4265

MADE IN ONE SIZE ONLY.

Height of head, 63 inches.
Height of foot, 48 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.
Iron scrolls, ⅜ and $\frac{5}{16}$ inch.
Brass bars and scrolls, ¾ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	holt.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4282

MADE IN TWO SIZES ONLY.

Height of head, 66 inches.
Height of foot, 46 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
~~4 feet~~	zoog.
4 feet 6	zrye.

BERNSTEIN'S
'EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4277

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.
Brass scrolls, ¾ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	zopal.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12 1898.

No. 4281

MADE IN TWO SIZES ONLY.

Height of head, 66 inches.
Height of foot, 46 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.
Brass scrolls, ¾ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	zardo.
4 feet 6	zolat.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4278

MADE IN ONE SIZE ONLY.

Height of head, 67 inches.
Height of foot, 47 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.
Brass scrolls, ¾ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	zetod.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4268

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 44 inches.

Pillars, 1½ inches.
Filling, ¾ and ⅞ inch.
Brass bars and scroll, ¾ inch.
Vases, 2½ inches.

"Standard" wire mattress, on steel angle sides.

SIZE.	CODE.
4 feet 6	husk.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4273

MADE IN ONE SIZE ONLY.

Height of head, 73 inches.
Height of foot, 53 inches.

Pillars, 1⅜ inches.
Filling, 1⅛ and ¾ inch.
Brass scrolls, ¾ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	juon.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4283

MADE IN ONE SIZE ONLY.

Height of head, 69 inches.
Height of foot, 49 inches.

Pillars, 1⅛ inches.
Filling, $\frac{7}{16}$ and $\frac{3}{8}$ inch.
Brass scrolls, ½ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	myro.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4267

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 50 inches.

Pillars, 1⅜ inches.
Filling, 1⅜ and 1⅛ inches.
Brass scrolls, ¾ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
4 feet 6	hupt.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4242. TWIN BEDS

MADE IN ONE SIZE ONLY.

Height of head, 72 inches.
Height of foot, 42 inches.

Pillars, 1⅛ inches.
Filling, ⅜ inch.
Brass bars, ⅝ inch.
Vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	infer.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4253. TWIN BEDS

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Pillars, 1⅛ inches.
Filling, $\frac{7}{16}$ and ⅜ inch.
Brass bars, ⅝ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	ilict.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4294. TWIN BEDS.

MADE IN ONE SIZE ONLY.

Height of head, 65 inches.
Height of foot, 45 inches.

Pillars, 1⅜ inches.
Filling, ½ inch.
Brass scrolls, ¾ inch.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet	kyllo.

BERNSTEIN'S EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4243

Child's Crib

Pillars, 7/8 inch.
Filling, 3/8 and 5/16 inch.
"Swinging Sides," 15 inches high.

"Extra Fine" grade wire mattress, on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	japan.
2 feet 6 by 5 feet	jest.

No. 4243A

Child's Crib

Same as above with slat bottom.

SIZE.	CODE.
2 feet 6 by 4 feet 6	jesue.
2 feet 6 by 5 feet	jesuta.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4302

Child's Crib

Pillars, ¾ inch.
Filling, $\frac{5}{16}$ and ¼ inch.
Brass vases, 1¾ inches.

Wire mattress, grade "B" on all iron frame.

SIZE.	CODE.
2 feet by 4 feet.....	jyab.

(Inside measure.)

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4303

Child's Crib, with Swinging Sides

Pillars, 7/8 inch.
Filling, 3/8 and 5/16 inch.

Wire mattress, grade "B" on all iron frame.

SIZE.	CODE.
2 feet 6 by 4 feet 6	joloy.
(Standard crib size.)	
3 feet by 5 feet	jrady.
(Inside measure.)	



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4245

Child's Crib

Pillars, 7/8 inch.
Filling, 3/8 and 5/16 inch.
Brass vases, 1¾ inches.

"Extra Fine" grade wire mattress on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	joitt.

No. 4244

Child's Crib

Same as above with slat bottom.

SIZE.	CODE.
2 feet 6 by 4 feet 6	jiff.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4293

Child's Crib, with Drop Sides

Pillars, 7/8 inch.

Filling, 3/8 and 5/16 inch

Wire mattress, grade "B" on all iron frame.

SIZE.	CODE.
2 feet 6 by 4 feet 6	jyobe.
2 feet 6 by 5 feet	joggy.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4246

Child's Crib, with Swinging Sides

Pillars, 7/8 inch.
Filling, 3/8 and 5/16 inch.
Brass bars, 1/2 inch.
Brass vases, 2 inches.

"Extra Fine" grade wire mattress on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	jolt.
2 feet 6 by 5 feet	joy.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4269

Child's Crib, with Drop Sides

Pillars, 7/8 inch.
Filling, 3/8 and 5/16 inch.
Brass bars, 1/2 inch.
Brass vases, 2 inches

"Extra fine" grade wire mattress on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	jewell.
2 feet 6 by 5 feet	jewett.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4247

Child's Crib, with Swinging Sides

Pillars, 7/8 inch.
Filling, 3/8 and 5/16 inch.
Brass bars, 1/2 inch.
Vases, 2 inches.

Wire mattress, "Extra Fine," on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	judge.
2 feet 6 by 5 feet	julia.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4287

Child's Crib, with Drop Sides

Pillars, 7/8 inch.

Filling, 5/8, 3/8 and 5/16 inch.

Wire mattress, grade "B" on all iron frame.

SIZE.	CODE.
2 feet 6 by 4 feet 6	broze.
2 feet 6 by 5 feet	byoog.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4289

Child's Crib, with Drop Sides

Pillars, 7/8 inch.
Filling, 7/8, 3/8 and 5/16 inch.
Brass bars, 1/2 inch.

Wire mattress, grade "B" on all iron frames.

SIZE.	CODE.
2 feet 6 by 4 feet 6	coyde.
2 feet 6 by 5 feet	cogar.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4292

Child's Crib, with Drop Sides

Pillars, 7/8 inch.

Filling, 3/8 and 5/16 inch.

Brass bars, 1/2 inch.

Brass rings.

Wire mattress, grade "B" on all iron frame.

SIZE.	CODE.
2 feet 6 by 4 feet 6	cradg.
2 feet 6 by 5 feet	copary.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4288

Child's Crib, with Drop Sides

Pillars, 7/8 inch.

Filling, 3/8 and 5/16 inch.

Brass rings.

Wire mattress, grade "B" on all iron frame.

SIZE.	CODE.
2 feet 6 by 4 feet 6	gryal.
2 feet 6 by 5 feet	gaytop.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4290

Child's Crib, with Drop Sides

Pillars, 7/8 inch.
Filling, 3/8 and 5/16 inch.
Brass bars and scrolls, 1/2 inch.

Wire mattress, grade "B" on all iron frame.

SIZE.	CODE.
2 feet 6 by 4 feet 6	ryalg.
2 feet 6 by 5 feet	rotary.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4291

Child's Crib, with Drop Sides

Pillars, 7/8 inch.

Filling, 3/8 and 5/16 inch.

Brass bars and scrolls, 1/2 inch.

Wire mattress, grade "B" on all iron frame.

SIZE.	CODE.
2 feet 6 by 4 feet 6	rube.
2 feet 6 by 3 feet	rutal.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4248

Height of head, 40 inches.
Height of foot, 36 inches.

Pillars, 7/8 inch.
Filling, 3/8 and 5/16 inch.
Vases, 1 3/4 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet by 5 feet 6	junta.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4249

Height of head, 42 inches.
Height of foot, 38 inches.

Pillars, 1⅛ inches.
Filling, ⅜ inch.
Brass bars, ⅝ inch.
Vases, 2 inches.

Wire mattress, grade "A" on steel angle sides.

SIZE.	CODE.
3 feet by 5 feet 6.....	just.

CANOPIES

No. 1. Enamel Canopy.

1⅛ inch Pillars.

SIZE.	CODE.
3 feet	nab.
3 feet 6	nadir.
4 feet	nasal.
4 feet 6	natale.

No. 2. Enamel Crib Canopy.

Code ..... natly.

For Brass Canopies, see page 143.





CANOPIES

No. 3. Enamel Canopy.

1⅛ inch Pillars.

SIZE.	CODE.
3 feet	nerve.
3 feet 6	newel.
4 feet	nora.
4 feet 6	nulk.

No. 4. Enamel Crib Canopy.

Code .....kamp.

For Brass Canopies, see page 143.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4600. BRASS

Child's Crib, with Swinging Sides

Height of head, 46 inches.
Height of foot, 40 inches.

Pillars, 1 inch.
Filling, 5/8 and 3/8 inch.
Vases, 2 inches.

Wire mattress, grade "Extra Fine" on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	kain.
2 feet 6 by 5 feet	kale.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4601. BRASS

Child's Crib, with Swinging Sides

Height of head, 46 inches.
Height of foot, 40 inches.

Pillars, 1 inch.
Filling, 5/8, 1/2 and 3/8 inch.
Vases, 2 inches.

Wire mattress, grade "Extra Fine" on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	kalif.
2 feet 6 by 5 feet	kayle.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4602. BRASS

Child's Crib, with Swinging Sides

Height of head, 46 inches.
Height of foot, 40 inches.

Pillars, 1 inch.
Filling, 5/8, 1/2 and 3/8 inch.
Vases, 2 inches.

Wire mattress, grade "Extra Fine" on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	keck.
2 feet 6 by 5 feet	kedge.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4603. BRASS

Child's Crib, with Swinging Sides

Height of head, 46 inches.
Height of foot, 40 inches.

Pillars, 1 inch.
Filling, 5/8, 1/2 and 3/8 inch.
Vases, 2 inches.

Wire mattress, grade "Extra Fine" on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	keel.
2 feet 6 by 5 feet	keen.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4604. BRASS

Child's Crib, with Swinging Sides

Height of head, 46 inches.
Height of foot, 40 inches.

Pillars, 1 inch.
Filling, ⅝, ½ and ⅜ inch.
Vases, 2 inches.

Wire mattress, grade "Extra Fine"
on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	kawn.
2 feet 6 by 5 feet	kahn.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4628. BRASS

Child's Crib, with Drop Sides

Pillars, 1 inch.
Filling, 5/8, 1/2 and 3/8 inch.
Vases, 2 inches

Wire mattress, grade "Extra Fine"
on steel angle sides.

SIZE.	CODE.
2 feet 6 by 4 feet 6	mu ala.
2 feet 6 by 5 feet	mutan.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4639. BRASS

Child's Crib, with Drop Sides

Pillars, 1 inch.
Filling, 5/8, 1/2 and 3/8 inch.
Vases, 2 inches.

Wire mattress, grade "Extra Fine" on steel angle sides.

SIZE.	CC E.
2 feet 6 by 4 feet 6.....	kryod.
2 feet 6 by 5 feet.....	koplig.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4605. BRASS

Height of head, 42 inches.
Height of foot, 34 inches.

Pillars, 1 inch.

Filling, 5/8 and 1/2 inch.

Wire mattress, grade "Standard" on steel angle sides.

SIZE.	CODE.
3 feet	lab.
3 feet 6	labor.
4 feet	lac.
4 feet 6	lache.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4606. BRASS

Height of head, 65 inches.
Height of foot, 43 inches.

Pillars, 1 inch.
Filling, 5/8 and 1/2 inch.
Vases, 2 inches.

Wire mattress, grade "Standard" on steel angle sides.

SIZE.	CODE.
3 feet	lado.
3 feet 6	ladle.
4 feet	laky.
4 feet 6	lama.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4607. BRASS

Height of head, 65 inches.
Height of foot, 43 inches.

Pillars, 1 inch.
Filling, 5/8 and 1/2 inch.
Vases, 2 inches.

Wire mattress, grade "Standard" on steel angle sides.

SIZE.	CODE.
3 feet	latch.
3 feet 6	lava.
4 feet	law.
4 feet 6	lea.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4608. BRASS

1½ inch Pillars.

No. 4608-2. BRASS

2 inch Pillars.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ¾, ⅝ and ½ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4608

SIZE.	CODE.
3 feet	leach.
3 feet 6	leady.
4 feet	leaf.
4 feet 6	leafet.

No. 4608-2

3 feet	leafy.
3 feet 6	leap.
4 feet	ledge.
4 feet 6	legal.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4609. BRASS

Swell Foot, 1½ inch Pillars.

No. 4609-2. BRASS

Swell Foot, 2 inch Pillars.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ¾ and ⅝ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4609

SIZE.	CODE.
3 feet	leme.
3 feet 6	lemon.
4 feet	lend.
4 feet 6	length.

No. 4609-2

3 feet	lenity.
3 feet 6	lenur.
4 feet	light.
4 feet 6	lint.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4610. BRASS

Swell Foot, 1½ inch Pillars.

No. 4610-2. BRASS

Swell Foot, 2 inch Pillars.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ¾, ⅝ and ½ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4610

SIZE.	CODE.
3 feet	list.
3 feet 6	listel.
4 feet	liter.
4 feet 6	lithic.

No. 4610-2

3 feet	lithy.
3 feet 6	livid.
4 feet	loam.
4 feet 6	loathy.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4611. BRASS

Swell Foot, 1½ inch Pillars.

No. 4611-2. BRASS

Swell Foot, 2 inch Pillars.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ¾, ⅝ and ½ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4611

SIZE.	CODE.
3 feet	lobe.
3 feet 6	local.
4 feet	locate.
4 feet 6	lock.

No. 4611-2

3 feet	locket.
3 feet 6	lode.
4 feet	lool.
4 feet 6	loose.

BERNSTEIN'S EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4612. BRASS

Swell Foot, 1½ inch Pillars.

No. 4612-2. BRASS

Swell Foot, 2 inch Pillars.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ¾, ⅝ and ½ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4612

SIZE.	CODE.
3 feet	lore.
3 feet 6	lorel.
4 feet	lorica.
4 feet 6	lorey.

No. 4612-2

3 feet	losset.
3 feet 6	loyal.
4 feet	lucid.
4 feet 6	luff.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4613. BRASS

1½ inch Pillars.

No. 4613-2. BRASS

2 inch Pillars.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ¾, ⅝ and ½ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on angle sides.

No. 4613

SIZE.	CODE.
3 feet	luke.
3 feet 6	lull.
4 feet	luller.
4 feet 6	lumbal.

No. 4613-2

3 feet	lumpo.
3 feet 6	lurch.
4 feet	lusky.
4 feet 6	luxe.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4614. BRASS

1½ inch Pillars.

No. 4614-2. BRASS

2 inch Pillars.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ¾, ⅝ and ½ inch.
Rings, 4 inches.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4614

SIZE.	CODE.
3 feet	mabby.
3 feet 6	mac.
4 feet	macad.
4 feet 6	macle.

No. 4614-2

3 feet	macron.
3 feet 6	madid.
4 feet	madile.
4 feet 6	madus.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4615. BRASS

Without Canopy. 1½ inch Pillars.

No. 4615-2. BRASS

Without Canopy. 2 inch Pillars.

Filling, ¾, ⅝ and ½ inch.

Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

SIZE.	No. 4615 CODE.	No. 4615-2 CODE.
3 feet	magi	major
3 feet 6	mail	maka
4 feet	maina	makept
4 feet 6	majol	maket

No. 4615A. BRASS

With Canopy. 1½ inch Pillars.

No. 4615A-2. BRASS

With Canopy. 2 inch Pillars.

SIZE.	No. 4615A CODE.	No. 4615A-2 CODE.
3 feet	makiff	mallet
3 feet 6	malay	malpeo
4 feet	malic	malt
4 feet 6	malign	malva

All of our brass beds can be made with extended post canopy.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4616. BRASS

1½ inch Pillars.

No. 4616-2. BRASS

2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ¾, ⅝ and ½ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4616

SIZE.	CODE.
4 feet	manbot.
4 feet 6	mando.

No. 4616-2

4 feet	mane.
4 feet 6	manioc.





BERNSTEIN'S EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4617. BRASS
1½ inch Pillars.

No. 4617-2. BRASS
2 inch Pillars.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ¾, ⅝ and ½ inch
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4617

SIZE.	CODE.
3 feet	mankin.
3 feet 6	manks.
4 feet	manlet.
4 feet 6	manly.

No. 4617-2

3 feet	manor.
3 feet 6	manple.
4 feet	manyos.
4 feet 6	manus.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4618. BRASS

Twin Beds

1½ inch Pillars.

No. 4618-2. BRASS

Twin Beds

2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 72 inches.
Height of foot, 44 inches.

Filling, ¾, ⅝ and ½ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4618

SIZE.	CODE.
3 feet	map.
3 feet 6	maret.

No. 4618-2

3 feet	march.
3 feet 6	marish.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4619. BRASS
Twin Beds

1½ inch Pillars.

No. 4619-2. BRASS
Twin Beds

2 inch Pillars.

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 52 inches.

Filling, ¾ and ⅝ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4619

SIZE.	CODE.
3 feet	mars.

No. 4619-2

3 feet	mott.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4651. BRASS

Twin Beds

1½ inch Pillars.

No. 4651-2. BRASS

Twin Beds

2 inch Pillars.

MADE IN ONE SIZE ONLY.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ¾, ⅝ and ½ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4651

SIZE.	CODE.
3 feet	myode.

No. 4651-2

3 feet	maryod.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4620. BRASS
1½ inch Pillars.

No. 4620-2. BRASS
2 inch Pillars.

MADE IN ONE SIZE ONLY.

Height of head, 70 inches.
Height of foot, 48 inches.

Filling, ¾, ⅝ and ½ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4620

SIZE.	CODE.
4 feet 6	menal.

No. 4620-2

4 feet 6	mender.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4621. BRASS

MADE IN ONE SIZE ONLY.

Height of head, 62 inches.
Height of foot, 44 inches.

Pillars, 1½ and 2 inches.

Filling, 1, ¾, ⅝ and ½ inch.

Wire mattress, grade "Standard" on steel angle sides.

SIZE.	CODE.
4 feet 6	meyer.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4622, BRASS

1½ inch Pillars.

No. 4622-2. BRASS

2 inch Pillars.

Height of head, 67 inches.
Height of foot, 45 inches.

Filling, ¾, ⅝ and ½ inch.

Wire mattress, grade "Standard" on steel angle sides.

No. 4622

SIZE.	CODE.
3 feet	mid.
3 feet 6	midst.
4 feet	mild.
4 feet 6	milleo.

No. 4622-2

3 feet	mince.
3 feet 6	mine.
4 feet	missa.
4 feet 6	mix.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4623. BRASS

1½ inch Pillars.

No. 4623-2. BRASS

2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ⅞, ¾ and ⅝ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4623

SIZE.	CODE.
4 feet	moory.
4 feet 6	moot.

No. 4623-2

4 feet	morne.
4 feet 6	morax.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4624. BRASS

1½ inch Pillars.

No. 4624-2. BRASS

2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 70 inches.
Height of foot, 48 inches.

Filling ¾, ⅝ and ½ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4624

SIZE.	CODE.
4 feet	mossy.
4 feet 6	motet.

No. 4624-2

4 feet	muff.
4 feet 6	mulet.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4625. BRASS

1½ inch Pillars.

No. 4625-2. BRASS

2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 66 inches.
Height of foot, 46 inches.

Filling, 1, ¾ and ⅝ inch.

Wire mattress, grade "Standard" on steel angle sides.

No. 4625

SIZE.	CODE.
4 feet	mulsa.
4 feet 6	multi.

No. 4625-2

4 feet	muly.
4 feet 6	mump.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4626. BRASS

1½ inch Pillars.

No. 4626-2. BRASS

2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 66 inches.
Height of foot, 46 inches.

Filling, 1, ¾ and ⅝ inch.

Wire mattress, grade "Standard" on steel angle sides.

No. 4626

SIZE.	CODE.
4 feet	munch.
4 feet 6	mungo.

No. 4626-2

4 feet	murmur.
4 feet 6	musco.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4627. BRASS

1½ inch Pillars.

No. 4627-2. BRASS

2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 66 inches.
Height of foot, 44 inches.

Filling, ⅞, ¾ and ⅝ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4627

SIZE.	CODE.
4 feet	music.
4 feet 6	musket.

No. 4627-2

4 feet	mussal.
4 feet 6	myriad.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4634. BRASS

1½ inch Pillars.

No. 4634-2. BRASS

2 inch Pillars.

Solid Cast Brass Vases and Mounts.

Height of head, 65 inches.
Height of foot, 43 inches.

Filling, ¾ and ⅝ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4634

SIZE.	CODE.
3 feet	myol.
3 feet 6	moor.
4 feet	marte.
4 feet 6	mayor.

No. 4634-2

3 feet	meog.
3 feet 6	mybt.
4 feet	mryg.
4 feet 6	mobal.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4635. BRASS

1½ inch Pillars.

No. 4635-2. BRASS

2 inch Pillars.

Height of head, 68 inches.
Height of foot, 47 inches.

Pillars, 1½ and 2 inches.
Filling, 1, ¾ and ⅝ inch.
Vases, 3½ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4635

SIZE.	CODE.
3 feet	myrtle.
3 feet 6	millet.
4 feet	mimer.
4 feet 6	mind.

No. 4635-2

3 feet	moove.
3 feet 6	mybbd.
4 feet	mcogg.
4 feet 6	merot.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4630. BRASS
1½ inch Pillars.

No 4630-2 4635-2. BRASS
2 inch Pillars.

MADE IN ONE SIZE ONLY.

Height of head, 65 inches.
Height of foot, 46 inches.

Pillars, 1½ and 2 inches.
Filling, 1, ¾ and ⅝ inch.

Wire mattress, grade "Standard" on steel angle sides.

No. 4630

SIZE.	CODE.
4 feet 6	mirth.

No. 4630-2

4 feet 6	misty.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4636. BRASS

2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 68 inches.
Height of foot, 46 inches.

Filling, 1, ¾ and ⅝ inch.

Wire mattress, grade "Standard" on steel angle sides.

SIZE.	CODE.
4 ~~feet~~	~~matro.~~
4 feet 6	minus.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4631. BRASS

2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 65 inches.
Height of foot, 46 inches.

Filling, 1, ¾ and ⅝ inch
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

SIZE.	CODE.
4 feet 6	most.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4638. BRASS
1½ inch Pillars.

No. 4638-2. BRASS
2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 66 inches.
Height of foot, 44 inches.

Pillars, 1½ and 2 inches.
Filling, 1, ¾ and ⅝ inch.
Vases, 2¾ inches.

Wire mattress, grade "Standard" on steel angle sides.

No. 4638

SIZE.	CODE.
3 feet	macod.
4 feet 6	moyad.

No. 4638-2

3 feet	mbory.
4 feet 6	myog.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4632. BRASS

MADE IN ONE SIZE ONLY.

Height of head, 70 inches.
Height of foot, 50 inches.

Pillars, 2 inches.

Filling, ¾ inch.

Wire mattress, grade "Standard" on steel angle sides.

SIZE.	CODE.
4 feet 6	miro.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4643. BRASS

1½ inch Pillars.

No. 4643-2. BRASS

2 inch Pillars.

MADE IN THREE SIZES ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Pillars, 1½ and 2 inches.
Filling, 1, ¾ and ⅝ inch.

Wire mattress, grade "Standard" on steel angle sides.

No. 4643

SIZE.	CODE.
3 feet 6	oraby.
4 feet	osalt.
4 feet 6	obyal.

No. 4643-2

3 feet 6	olynd.
4 feet	ocult.
4 feet 6	ogray.





BERNSTEIN'S
EASY DETACHABLE BED.

Patented July 10, 1894.
April 12, 1898.

No. 4644. BRASS

1½ inch Pillars.

No. 4644-2. BRASS

2 inch Pillars.

MADE IN TWO SIZES ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Pillars, 1½ and 2 inches.
Filling, ¾, ⅝ and ½ inch.

Wire mattress, grade "Standard" on steel angle sides.

No. 4644

SIZE.	CODE.
3 feet 6	ogbad.
4 feet 6	opaly.

No. 4644-2

3 feet 6	opyof.
4 feet 6	ofcye.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4646. BRASS

1½ inch Pillars.

No. 4646-2. BRASS

2 inch Pillars.

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Pillars, 1½ and 2 inches.

Filling, 1¼, ¾, ⅝, ½ and ⅜ inch.

Wire mattress, grade "Standard" on steel angle sides.

No. 4646

SIZE.	CODE.
4 feet 6	odyce.

No. 4646-2

4 feet 6	obole.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4642

2 inch Pillars.

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Filling, ¾ and ⅝ inch.

Wire mattress, grade "Standard" on steel angle sides.

SIZE.	CODE.
4 feet 6	ollay.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4647. BRASS

1½ inch Pillars.

No. 4647-2. BRASS

2 inch Pillars.

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Pillars, 1½ and 2 inches.
Filling, ¾ and ⅝ inch.

Wire mattress, grade "Standard" on steel angle sides.

No. 4647

SIZE.	CODE.
4 feet 6	orabye.

No. 4647-2

4 feet 6	oyarg.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4648. BRASS

1½ inch Pillars.

No. 4648-2. BRASS

2 inch Pillars.

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Pillars, 1½ and 2 inches.
Filling, ¾ and ⅝ inch.

Wire mattress, grade "Standard" on steel angle sides.

No. 4648

SIZE.	CODE.
4 feet 6	ollaf.

No. 4648-2

4 feet 6	oggab.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4650. BRASS

2 inch Pillars.

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Filling, ¾ and ⅝ inch.

Wire mattress, grade "Standard on steel angle sides.

SIZE.	CODE.
4 feet 6	ocgor.





BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 4649. BRASS

2 inch Pillars.

MADE IN ONE SIZE ONLY.

Height of head, 68 inches.
Height of foot, 48 inches.

Filling, ¾ and ⅝ inch.

Wire mattress, grade "Standard" on steel angle sides.

SIZE.	CODE.
4 feet 6	obrat.

BRASS COSTUMERS.

Uprights, 1¼ inches.

	CODE.
No. **7000**	kanke.
No. **7010**	kelot.
No. **7020**	koran.



7020 7010 7000



No. 4 No. 5

BRASS CANOPIES.

No. 4

	1 in. Pillars.	1¼ in. Pillars.	1½ in. Pillars.
3 ft.	oak.	order.	omega.
3 ft. 6	obete.	ode.	once.
4 ft.	obey.	oft.	omen.
4 ft. 6	occur.	ogle.	orb.

No. 5

	1 in. Pillars.	1¼ in. Pillars.	1½ in. Pillars.
3 ft.	pace.	papal.	probe.
3 ft. 6	pact.	paper.	proven.
4 ft.	pale.	past.	pulp.
4 ft. 6	palm.	prism.	pure.

For Enamel Canopies, see page 94.

BRASS CANOPIES.

No. 6

	1 in. Pillars.	1¼ in. Pillars.	1½ in. Pillars.
3 ft.	quake.	queer.	quota.
3 ft. 6	quash.	quick.	quoth.
4 ft.	quay.	quol.	quert.
4 ft. 6	queen.	quoit.	quiz.

No. 7

	1 in. Pillars.	1¼ in. Pillars.	1½ in. Pillars.
3 ft.	racy.	reign.	ruff.
3 ft. 6	reign	relley.	rush.
4 ft.	rapid.	rest.	ruth.
4 ft. 6	rife.	route.	rupt.

For Enamel Canopies, see page 94.



No. 6. No. 7.



BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 5000

Pillars, 1⅛ inches.

Used in police or fire departments, or where it is necessary to economize room.

Made detachable, or securely bolted and braced.

SIZE.	CODE.
2 feet 6	renew.
3 feet	rend.

BERNSTEIN'S
EASY DETACHABLE BED

Patented July 10, 1894.
April 12, 1898.

No. 5001

Pillars, 1⅛ inches.

Used in police or fire departments, or where it is necessary to economize room.

Made detachable, or securely bolted and braced.

SIZE.	CODE.
2 feet 6	reve.
3 feet	reset.



This preservation photocopy was made
at BookLab, Inc. in compliance with copyright law.
The paper meets the requirements of ANSI/NISO
Z39.48-1992 (Permanence of Paper)

Austin 1996

US PATENT & TRADEMARK OFFICE
3 0402 00110 4308

DESIGN
D6

TS 887 .B4

DESIGN

D6

ERNSTEIN MFG. CO. • BEDSTEADS NO. 10

TS

887

.B4

US PATENT & TRADEMARK OFFICE

3 0402 00110 4308